In the claims:

For the Examiner's convenience, all pending claims are presented below with changes shown in accordance with the mandatory amendment format.

1. (Currently Amended) A method ~~for conserving bandwidth between a wireless device and a wireless service in a system in which message data are synchronized between said wireless device and said service~~ comprising:

modifying a first electronic mail (e-mail) message at a wireless device;

generating a first message transaction update indicating a modification to the first e-mail;

modifying a second e-mail message at the wireless device;

generating a second message transaction update indicating a modification to the second e-mail;

detecting ~~entering a batch processing mode under~~ whether one or more of message transaction conditions have occurred ~~certain specified conditions wherein message transaction updates conducted at said wireless device~~;

combining the first message transaction update and the second message transaction update into a batch transaction update if the one or more of message transactions have occurred and based on ~~and/or said service are combined according to~~ a set of batch processing parameters; and

wirelessly transmitting the batch transaction update to a server.

~~and transmitted together to said service and/or said wireless device, respectively~~.

2. (Currently Amended) The method as in claim 1 wherein one of ~~said specified~~the message transaction conditions is a length of time during which no message transactions are initiated at ~~said~~ the wireless device ~~and/or said service~~.

3. (Currently Amended) The method as in claim 1 wherein one of the message transaction ~~said specified~~ conditions is a length of time that ~~said~~ the wireless device is out of range.

4. (Currently Amended) The method as in claim 1 wherein the message transaction ~~one of said specified~~ conditions is manual update selection ~~of said batch processing mode~~ by a user.

5. (Cancelled).

6. (Currently Amended) The method as in claim 1 wherein one of ~~said~~ the batch processing parameters comprises transmitting ~~said combined~~the ~~message~~ batch transaction ~~updates~~ update after a predetermined number of message transaction updates have accrued.

7. (Currently Amended) The method as in claim 1 wherein one of ~~said~~ the batch processing parameters comprises transmitting ~~said combined~~ the ~~message~~ batch transaction ~~updates~~ update after ~~said combined~~the batch transaction update ~~message transaction updates have reached~~reaches a predetermined size.

8. (Currently Amended) The method as in claim 1 wherein one of ~~said~~ the message transaction updates comprises a deletion of ~~a~~an email message.

9-18. (Cancelled)

19. (Currently Amended) A ~~system for synchronizing messages between a~~ wireless device ~~and a service~~ comprising:

control logic to modify a first electronic mail (e-mail) message, generate a first message transaction update indicating a modification to the first e-mail, modify a second e-mail message, generate a second message transaction update indicating a modification to the second e-mail, and to initiate synchronization with a server;

message transaction detection logic to ~~determine~~ detect whether one or more ~~a plurality~~ of message transaction conditions have occurred~~are met in a data processing device and/or service with which said data processing device is synchronized~~; and

batch processing logic to combine the first message transaction update and the second message transaction update into a batch transaction update, the combining based on ~~batch process synchronization updates between said wireless data processing device and a service if said message transaction conditions are met, said batch processing performed based on~~ one or more batch processing parameters.

20. (Currently Amended) The wireless device of ~~system as in~~ claim 19 wherein one of ~~said~~ the message transaction conditions is a predetermined length of time during

which synchronization updates between ~~said~~ the wireless ~~data processing~~ device and ~~said~~ the ~~service~~ server are not performed.

21. (Currently Amended) The wireless device of ~~system as in~~ claim 19 wherein one of ~~said~~ the message transaction conditions comprises manual update selection ~~of said batch processing mode~~ by a user.

22. (Currently Amended) The wireless device of ~~system as in~~ claim 19 wherein one of ~~said~~ the message transaction conditions comprises ~~said~~ the wireless device being out of range from ~~said~~ the ~~service~~ server for a predetermined period of time.

23. (Currently Amended) The wireless device of ~~system as in~~ claim 19 further comprising:

standard message processing logic to determine whether one or more standard message processing conditions are met~~, said system exiting said batch processing mode if said one or more standard message processing conditions are met~~.

24. (Cancelled)

25. (Currently Amended) The wireless device of ~~method as in~~ claim 19 wherein one of ~~said synchronization~~the message transaction updates comprises a deletion of an email message.

26. (Cancelled)

27. (New) A machine-readable medium having stored thereon data representing sets of instructions, the sets of instructions which, when executed by a machine, cause the machine to:

modify a first electronic mail (e-mail) message at a wireless device;

generate a first message transaction update indicating a modification to the first e-mail;

modify a second e-mail message at the wireless device;

generate a second message transaction update indicating a modification to the second e-mail;

detect combining the first message transaction update and the second message transaction update into a batch transaction update if the one or more of message transactions have occurred and based on a set of batch processing parameters; and

wirelessly transmit the batch transaction update to a server

28. (New) The machine-readable medium of claim 27 wherein one of the message transaction conditions is a length of time during which no message transactions are initiated at the wireless device.

29. (New) The machine-readable medium of claim 27 wherein one of the message transaction conditions is a length of time that the wireless device is out of range.

30. (New) The machine-readable medium of claim 27 wherein the message transaction conditions is manual update selection by a user.